



## EN NORMS AND STANDARDS

Performances and risks of industrial protective gloves are assessed according to European norms. The risk and protection levels are symbolized by pictograms with the levels of performances. Performances not measured are mentioned as "X" in the pictograms.

**Categories:** Gloves for hand protection are in 3 categories based on risk protection for which they are used.

**Category I: For minimal risk only** - Gloves in this category are for reversible and low level risk. They are mostly used for general purpose applications.

**Category II: For intermediate risk** - Gloves in this category require good abrasion, tear & puncture resistance which are independently tested and certified by a notified body.

**Category III: For irreversible or mortal risk** - Gloves in this category are of complex design and protect against the highest level of risk, e.g. Chemicals, highly corrosive acids etc. Gloves in this category must be independently tested and certified by a notified body.

### EN 388



#### EN 388: PROTECTIVE GLOVES AGAINST MECHANICAL RISK

| Test                            | Performance Levels |     |      |      |      |
|---------------------------------|--------------------|-----|------|------|------|
|                                 | 1                  | 2   | 3    | 4    | 5    |
| A) Abrasion resistance (Cycle)  | 100                | 500 | 2000 | 8000 | -    |
| B) Blade cut resistance (Index) | 1.2                | 2.5 | 5.0  | 10.0 | 20.0 |
| C) Tear resistance (Newton)     | 10                 | 25  | 50   | 75   | -    |
| D) Puncture resistance (Newton) | 20                 | 60  | 100  | 150  | -    |

### EN 407



#### EN 407: THERMAL RISK PROTECTION

| Test                                          | Performance Levels |      |     |      |
|-----------------------------------------------|--------------------|------|-----|------|
|                                               | 1                  | 2    | 3   | 4    |
| A) Burning behaviour - After burn (Times sec) | ≤20                | ≤10  | ≤3  | ≤2   |
| - After glow (Times sec)                      | N/R                | ≤120 | ≤25 | ≤5   |
| B) Contact heat (Temp in °C after 15 sec)     | 100                | 250  | 350 | 500  |
| C) Convective heat (Heat transfer delay sec)  | ≤4                 | ≤7   | ≤10 | ≤18  |
| D) Radiant heat (Heat transfer delay sec)     | ≤5                 | ≤30  | ≤90 | ≤150 |
| E) Small splashes of molten metal (Drop)      | ≥5                 | ≥15  | ≥25 | ≥35  |
| F) Large splashes of molten metal (gg) 30     | 30                 | 60   | 120 | 200  |

(\*N/R - Not required)

### EN 511



#### EN 511: COLD PROTECTION

| Test                             | Performance Levels |              |            |            |        |
|----------------------------------|--------------------|--------------|------------|------------|--------|
|                                  | 0                  | 1            | 2          | 3          | 4      |
| A) Resistance to convective cold | ≤0.1               | 0.1<R≤0.15   | 0.15<R≤0.2 | 0.22<R≤0.3 | 0.3<R  |
| B) Resistance to contact cold    | R≤0.025            | 0.025<R≤0.05 | 0.05<R≤0.1 | 0.1<R≤0.15 | 0.15<R |
| C) Permeability to water         | Fail               | Pass         | -          | -          | -      |

(\*Fail: Water penetrated after 30 min; Pass: No water penetrated after 30 min)

#### EN 420: GENERAL REQUIREMENTS FOR PROTECTIVE GLOVES

The user has to consult the instructions for use. This standard defines the general requirements for protective gloves in terms of construction related to neutrality of pH, permissible chromium VI value and specific details for any allergic substance used in the glove. The comfort and dexterity is standardized by agreed common European hand size for selection of a particular glove size.

Selection of the protective gloves size according to the hand length and circumference.

| Size                    | 6   | 7   | 8   | 9   | 10  | 11  |
|-------------------------|-----|-----|-----|-----|-----|-----|
| Minimal length (mm)     | 225 | 230 | 240 | 250 | 260 | 270 |
| Hand circumference (mm) | 152 | 178 | 203 | 229 | 254 | 279 |
| Hand length (mm)        | 160 | 171 | 182 | 192 | 204 | 215 |

Sierra Exports has its manufacturing centres in India and China. We export Industrial Safety Gloves and Work Wear to Europe, Japan, South Africa and Australia.

The manufacturing facilities have a vast production capacity for Seamless Knitted, Dipped, Cut and Sewn Gloves assuring in-time delivery of large quantities. Our gloves are used in various applications and are CE certified. They stringently conform to international specifications. Innovative design and standardised materials input ensures quality and performance.

Sierra has a continuous focus on developing new products for specific risk protection. Our new introduction is the category of Leather Gloves we now manufacture in India. This also includes a unit for Leather Palm Stitched Gloves for Cut and Heat resistant applications.

High performance products, superlative logistics support and commitment to our customers is our top priority. We look forward to your customized needs and feedback.



## INDEX

| Glove Categories                           | Page #    |
|--------------------------------------------|-----------|
| Nitrile Coated Gloves - Cut Protection     | 4 / 5     |
| Nitrile Coated Gloves - General Protection | 5 / 6 / 7 |
| Nitrile Coated Gloves - Cold Protection    | 7 / 8     |
| Latex Coated Gloves - Cut Protection       | 8 / 9     |
| Latex Coated Gloves - Cold Protection      | 9         |
| Latex Coated Gloves - General Protection   | 10 / 11   |
| PU Dipped Gloves - Cut Protection          | 11        |
| PU Dipped Gloves - General Protection      | 12        |

| Glove Categories                                  | Page #       |
|---------------------------------------------------|--------------|
| Seamless Knitted Gloves - General Protection      | 12 / 13 / 14 |
| Seamless Knitted Gloves - Heat and Cut Protection | 14 / 15      |
| Seamless Knitted Gloves - Cold Protection         | 16           |
| Leather Gloves - Cut Protection                   | 17           |
| Leather Gloves - Drivers                          | 17 / 18      |
| Leather Gloves - Welders                          | 19 / 20      |
| Leather Gloves - Canadian                         | 20 / 21 / 22 |
| Mechanical Gloves                                 | 22           |



Gloves with Nitrile coating in combination with high performance Kevlar® and HPPE liners are excellent for high levels of cut, abrasion and tear protection. Foam or Sandy finish coating helps in gripping oily parts.

## APPLICATION:

Suitable for various applications in Metal and Glass Industries.

D21304-63896



13G, Raw White/Black HPPE/Nylon/Glass/Lycra Cut 5, Blue Nitrile Open Back, Smooth Finish, Black Nitrile Palm Dipped, Sandy Finish, Double Dipped

- Cut level 5 protection
  - High cut resistance with excellent fit and good grip
- Sizes: 7-11

D21304-60491



13G, Raw White/Black HPPE/Nylon/Glass/Lycra Cut 5, Royal Blue Nitrile Palm Dipped, Smooth Finish

- Cut level 5 protection
  - High cut resistance with excellent fit and good grip
- Sizes: 7-11

D21304-65581



13G, Raw White/Black HPPE/Nylon/Glass/Lycra Cut 5, Black Foam Nitrile Breathable, Palm Dipped

- Cut level 5 protection
  - Suitable for high cut resistance while handling sharp alloy components
- Sizes: 7-11

D21308-60791



13G, Fluorescent Orange/Raw White HPPE/Nylon/Glass/Lycra Cut 5, Black Nitrile Palm Dipped, Sandy Finish

- Cut level 5 protection
  - High cut resistance with excellent fit and good grip
- Sizes: 7-11

D21321-60791



13G, Fluorescent Yellow/Raw White HPPE/Nylon/Lycra Cut 3, Black Nitrile Palm Dipped, Sandy Finish

- Cut level 3 protection
  - High cut resistance with excellent fit and good grip
- Sizes: 7-11

D21304-66910



13G, Raw White/Black HPPE/Nylon/Glass/Lycra Cut 5, Black Foam Nitrile Breathable, Palm Dipped, Black Nitrile SSD, Long Cuff

- Cut level 5 protection
  - High cut resistance with excellent fit and good grip
- Sizes: 7-11

## NITRILE COATED GLOVES - CUT PROTECTION

D21176-65501



13G, Yellow Kevlar®/Lyca, Black Foam Nitrile Breathable, Palm Dipped

- Combination of Kevlar®/Lyca provides moderate cut protection and exceptional comfort and dexterity  
Size: 7-11

D21176-60201



13G, Yellow 100% Kevlar®, Green Nitrile Palm Dipped, Smooth Finish

- Suitable for moderate cut protection while handling sharp oily parts  
Size: 7-11

D11181-65501



10G, Yellow Kevlar®/ Glass Fibre Cut 5, Black Foam Nitrile Breathable Open Back

- Cut level 5 protection
- Suitable for handling sharp oily parts  
Size: 7-11

## NITRILE COATED GLOVES - GENERAL PROTECTION



Fine gauge seamless liners in Nylon with superior smooth finish Nitrile coating provides abrasion, tear and puncture resistance and is useful in assembly of small parts. Additional protection is provided in full finger or fully dipped Nitrile coating. Foam or Sandy finish coating helps in gripping oily parts. Cut and sewn liners with Nitrile coating provides good comfort.

### APPLICATION:

Suitable for applications in Automotive, Construction, Engineering, Mining, Transport and Logistics.

D43186-60101



18G, Royal Blue 100% Nylon, Black Nitrile Palm Dipped, Smooth Finish

- Good grip in assembly of small components  
Size: 7-11

D43186-67001



18G, Royal Blue 100% Nylon, Black Foam Nitrile Breathable, Palm Dipped, Black Nitrile SSD Finger Tips Plain

- Excellent grip while handling oily tools or components  
Size: 7-11

D43226-60701



18G, Royal Blue Nylon/Lyca, Black Nitrile Palm Dipped, Sandy Finish

- Lyca liner provides good dexterity and excellent fit
- Excellent grip in dry and wet conditions  
Size: 7-11

# NITRILE COATED GLOVES - GENERAL PROTECTION

D34224-65501



15G, Grey Nylon/Lycra, Black Foam Nitrile Breathable, Palm Dipped

- Foam Nitrile breathable coating provides good grip and dexterity
- Sizes: 7-11

D34187-62701



15G, Grey 100% Nylon, Black Nitrile Open Back, Sandy Finish

- Good grip in assembly of small components
- Excellent grip in dry and wet conditions
- Sizes: 7-11

D34187-68501



15G, Grey 100% Nylon, Black Foam Nitrile Breathable Fully Dipped

- Good grip in assembly of small components
- Foam Nitrile breathable coating provides good grip and dexterity
- Sizes: 7-11

D34187-61701



15G, Grey 100% Nylon, Black Nitrile Palm Dipped, Black Nitrile S&D, Sandy Finish

- Good grip in assembly of small components
- Excellent grip while handling oily tools or components
- Excellent grip in dry and wet conditions
- Sizes: 7-11

D34223-60701



15G, Orange Nylon/Lycra, Black Nitrile Palm Dipped, Sandy Finish

- Lycra liner provides good dexterity and excellent fit
- Excellent grip in dry and wet
- Available colors for liner and coating
- Sizes: 7-11

D21183-60301



13G, Raw White 100% Nylon, Grey Nitrile Palm Dipped, Smooth Finish

- Good grip in assembly of small components
- Available colors for liner and coating
- Sizes: 7-11

D21183-62301



13G, Raw White 100% Nylon, Yellow Nitrile Open Back, Smooth Finish

- Good grip in assembly of small components
- Available colors for liner and coating
- Sizes: 7-11

D34188-60901



15G, Royal Blue 100% Nylon, Blue Nitrile Palm Dipped, Sandy Finish

- Good grip in assembly of small components
- Available colors for liner and coating
- Sizes: 7-11

D43192-65701



18G, Blue 100% Nylon, Blue Foam Nitrile Breathable Palm Dipped

- Good grip in assembly of small components
- Available colors for liner and coating
- Sizes: 7-11

## NITRILE COATED GLOVES - GENERAL PROTECTION

**C75141-73202**



Raw White 100% Cotton, Jersey, Blue Regular Nitrile Open Back, Smooth Finish, Safety Cuff

- Cotton Jersey liner absorbs perspiration and is comfortable in heavy duty applications  
Size: 8-11

**C75141-75002**



Raw White 100% Cotton, Jersey, Blue Regular Nitrile Fully Dipped, Smooth Finish, Safety Cuff

- Suitable for grease and oil protection  
Size: 8-11

**C75141-74002**



Raw White 100% Cotton, Jersey, Blue Regular Nitrile Open Back, Smooth Finish, Knitwrist

- Suitable for raw material handling as knitted cuff provides good grip on wrist  
Size: 8-11

**C75141-75802**



Raw White 100% Cotton, Jersey, Blue Regular Nitrile Fully Dipped, Smooth Finish, Baricoded Knitwrist

- Comfortable for general purpose work  
Size: 8-11

**C76141-74201**



Raw White 100% Cotton, Interlock, Yellow Regular Nitrile Open Back, Smooth Finish, Baricoded Knitwrist

- Suitable for light duty applications  
Size: 8-11

**C76141-76001**



Raw White 100% Cotton, Interlock, Yellow Regular Nitrile Fully Dipped, Smooth Finish, Baricoded Knitwrist

- Suitable for grease and oil protection in light duty applications  
Size: 8-11

## NITRILE COATED GLOVES - COLD PROTECTION



Gloves with Tery liner inside provides warmth in cold weather conditions. Foam and Sandy finish 3/4th coatings are excellent for dry and wet grip. It offers liquid impermeability and prevents hands getting wet for better efficiency. High visibility lines and coatings increases worker safety in low light conditions.

### APPLICATION:

Suitable for various applications in Cold Storage, Construction and Engineering.

## NITRILE COATED GLOVES - COLD PROTECTION

D26349-62702



13G/10G Terry, Fluorescent Yellow Polyester/Acrylic, Black Nitrile Open Back, Sandy Finish, Inside Brushed, Glove in Glove

- Excellent grip in dry and wet conditions
  - Insulated liner ensures warmth
- Sizes: 7-11

D26349-67802



13G/10G Terry, Fluorescent Yellow Polyester/Acrylic, Black Foam Nitrile Breathable Open Back, Black Nitrile SSD Fingers/ps Plain, Inside Brushed, Glove in Glove

- Excellent grip in dry and wet conditions
  - Insulated liner ensures warmth
- Sizes: 7-11

D37347-62702



15G/10G Terry, Black Polyester/Acrylic, Black Nitrile Open Back, Sandy Finish, Inside Brushed, Glove in Glove

- Excellent grip in dry and wet conditions
  - Insulated liner ensures warmth
- Sizes: 7-11

D26349-60702



13G / 10G Terry, Fluorescent Yellow Polyester/Acrylic, Black Nitrile Palm Dipped, Sandy Finish, Inside Brushed, Glove in Glove

- Excellent grip in dry and wet conditions
  - Insulated liner ensures warmth
- Sizes: 7-11

D27349-60801



13G Plated, Fluorescent Yellow Polyester/Acrylic, Yellow Nitrile Palm Dipped, Sandy Finish

- Excellent grip in dry and wet conditions
- Sizes: 7-11

D27349-62801



13G Plated, Fluorescent Yellow Polyester/Acrylic, Yellow Nitrile Open Back, Sandy Finish

- Excellent grip in dry and wet conditions
- Sizes: 7-11

## LATEX COATED GLOVES - CUT PROTECTION



Gloves with combination of high performance Kevlar® and HPPE yarns are excellent for high level of cut protection. Latex coating provides good grip with puncture resistance. Foam or Sandy finish coating helps in gripping oily parts. Latex full hand coating provides superior grip and increased protection.

### APPLICATION:

Suitable for various applications in Metal, Glass, Foundry and Recycling Industries.



## LATEX COATED GLOVES - CUT PROTECTION

D11176-55801



10G, Yellow 100% Kevlar® Blue Latex Palm Dipped, Winkle Finish

- Cut level 4 protection
  - Latex coating with wrinkle finish is suitable for superior wet and dry grip
- Size: 7-11

D21306-55101



13G, Grey/Black HPPE/Nylon/Glass/Lycra Cut 5, Black Latex Palm Dipped, Sandy Finish

- Cut level 5 protection
  - Superior cut resistance with excellent dexterity and fit
  - Latex coating with sandy finish is excellent for handling oily objects
- Size: 7-11

D21304-55701



13G, Raw White/Black HPPE/Nylon/Glass/Lycra Cut 5, Black Latex Palm Dipped, Winkle Finish

- Cut level 5 protection
  - Superior cut resistance with excellent dexterity and fit
  - Latex coating with sandy finish is excellent for handling oily objects
- Size: 7-11

## LATEX COATED GLOVES - COLD PROTECTION



Latex coating with wrinkle finish on seamless heavy knit Acrylic liner provides the desired insulation against cold and offers excellent grip in dry and wet conditions. Suitable for working in cold rooms or cold outdoor conditions for moderate cold protection. Foam Latex coating provides good dexterity and grip.

### APPLICATION:

Suitable for applications in Cold storage and Outdoors.

D02104-56403



7G Terry, Fluorescent Orange 100% Acrylic, Black Latex Palm Dipped Thumb Fully Dipped, Winkle Finish

- Acrylic liner provides warmth in cold working conditions
  - High visibility colored liner provides safety in poor light conditions
  - Available colors for liner and coating
- Size: 7-11

D11101-57802



10G, Grey 100% Acrylic, Black Foam Latex Palm Dipped, Inside Brushed

- Acrylic liner provides warmth in cold working conditions
  - Available colors for liner and coating
- Size: 7-11

D11107-59001



10G, Fluorescent Yellow 100% Acrylic, Black Foam Latex Palm Dipped Thumb Fully Dipped

- Acrylic liner provides warmth in cold working conditions
  - High visibility colored liner provides safety in poor light conditions
  - Available colors for liner and coating
- Size: 7-11





Gloves with Latex coating has high elasticity, grip and withstands extreme temperature. It also provides good abrasion, tear and puncture resistance for all mechanical risks. Foam Latex coating provides good dexterity in handling of oily parts. Coating with wrinkle finish adds gripping power in either wet or dry conditions. Fine gauge seamless liners with Latex coating is light weight and comfortable. Cut and sewn Cotton liners with Latex coating provides excellent comfort in heavy duty applications.

## APPLICATION:

Suitable for applications in Automotive, Construction, Engineering, Mining, Transport and Logistics.

**D21187-57901**



13G, Grey 100% Nylon, Purple Foam Latex Palm Dipped

- Foam Latex coating provides exceptional sensitivity and dexterity
  - Channels oil away from glove surface and has excellent grip in dry and wet conditions
- Sizes: 7-11

**D34183-57701**



15G, Raw White 100% Nylon, Grey Foam Latex Palm Dipped

- Foam Latex coating provides exceptional sensitivity and dexterity
  - Available colors for liner and coating
- Sizes: 7-11

**D11380-55904**



10G, Yellow Polyester Cotton, Orange Latex Palm Dipped, Wrinkle Finish

- Suitable for material handling and general maintenance work
  - Wrinkle Latex coating provides good gripping in both dry and wet objects
  - Available colors for liner and coating
- Sizes: 7-11

**D21189-55701**



13G, Yellow 100% Nylon, Black Latex Palm Dipped, Wrinkle Finish

- Excellent grip on dry and wet surfaces
- Sizes: 7-11

**D21194-57801**



13G, Fluorescent Yellow 100% Nylon, Black Foam Latex Palm Dipped

- Foam Latex coating provides exceptional sensitivity and dexterity
  - Channels oil away from glove surface and has excellent grip in dry and wet conditions
- Sizes: 7-11

**D21130-55701**



13G, Orange/Black Acrylic Lycra, Black Latex Palm Dipped, Wrinkle Finish

- Excellent grip on dry and wet surfaces
- Sizes: 7-11

## LATEX COATED GLOVES - GENERAL PROTECTION

D21131-58501



13G, Blue/Black Acrylic Lycra, Black Foam Latex Open Back

- Foam Latex coating provides exceptional sensitivity and dexterity
  - Channels oil away from glove surface and has excellent grip in dry and wet conditions
- Sizes: 7-11

C76141-71001



Raw White 100% Cotton, Interlock, Green Latex Open Back, Winkle Finish, Elasticated Knitwrist

- Excellent grip and absorbs perspiration in all general purpose applications
- Sizes: 8-11

## POLYURETHANE DIPPED GLOVES - CUT PROTECTION



Gloves with Polyurethane coating on HPPE liners offers a combination of medium to high cut resistance with exceptional dexterity. High cut resistance while handling sharp edge sheets, parts and blades.

### APPLICATION:

Suitable for various applications in Sheet Metal, Glass, Electronic, Automotive & Construction Industries.

D21304-69201



13G, Raw White/Black HPPE/Nylon/Glass/Lycra Cut 5, Grey Polyurethane Palm Dipped

- Cut level 5 protection
- Sizes: 7-11

D21305-69101



13G, Green/Raw White HPPE/Nylon/Glass/Lycra Cut 5, Black Polyurethane Palm Dipped

- Cut level 5 protection
- Sizes: 7-11

D21320-69201



13G, Raw White/Black HPPE/Nylon/Lycra Cut 3, Grey Polyurethane Palm Dipped

- Cut level 3 protection
- Sizes: 7-11



Polyurethane coating provides high abrasion, tear and puncture resistance. Polyurethane protects from residues, chemicals and provides excellent sensitivity. HPPE liners coated with Polyurethane provides medium to high cut level with sensitivity and dexterity.

## APPLICATION:

Suitable for applications in Electronics & small part assembly in Automotive, Engineering and Aerospace.

D21163-69201



13G, Raw White 100% Nylon, Grey Polyurethane Palm Dipped

- Excellent sensitivity and dexterity to handle small components in dry and wet conditions
- Available colors for liner and coating
- Sizes: 7-11

D21163-69301



13G, Raw White 100% Nylon, White Polyurethane Palm Dipped

- Excellent sensitivity and dexterity to handle small components in dry and wet conditions
- Available colors for liner and coating
- Sizes: 7-11

D21167-69201



13G, Grey 100% Nylon, Grey Polyurethane Palm Dipped

- Excellent sensitivity and dexterity to handle small components in dry and wet conditions
- Available colors for liner and coating
- Sizes: 7-11

# SEAMLESS KNITTED GLOVES - GENERAL PROTECTION



General purpose gloves for oil and dirt resistance. Glove liners knitted with 100% Cotton, 100% Nylon, Nylon /Cotton, 100% Polyester, Polyester/Cotton provide comfort and dexterity. Gloves for minimal risk providing abrasion and tear resistance.

## APPLICATION:

Suitable for various applications in Automotive, Construction, Engineering, Mining, Transport and Logistics.

# SEAMLESS KNITTED GLOVES - GENERAL PROTECTION

S21183-50701



13G, Raw White 100% Nylon, Red PVC S&D

- PVC dots on palm for good gripping

Sizes: 6-11

S27208-50701



13G Plated, Raw White Nylon/Cotton, Red PVC S&D

- Inside Cotton provides comfort with PVC dots on palm for grip

Sizes: 6-11

S21183-50101



13G, Raw White 100% Nylon, Plain

- Lint free

Sizes: 6-11

S21255-50501



13G, Raw White 100% Polyester, Blue PVC S&D

- Economical and suitable for general purpose work

- PVC dots on palm for good grip

Sizes: 6-11

S13210-50810



10G Plated, Grey/Raw White Nylon/Cotton, Yellow PVC S&D, Long Cuff

- PVC dots on palm for good grip conditions

Sizes: 6-11

S11375-50101



10G, Raw White Polyester Cotton, Plain

- Medium weight general purpose glove

Sizes: 6-11

S11141-50701



10G, Raw White 100% Cotton, Red PVC S&D

- Cotton liner provides comfort

- PVC dots on palm for good grip

Sizes: 6-11

S01376-50501



7G, Bleached White Polyester Cotton, Blue PVC S&D

- General purpose handling and PVC dots on palm for grip

Sizes: 6-11

S01376-51501



7G, Bleached White Polyester Cotton, Black PVC S&D

- General purpose handling and double sides PVC dots for better protection

Sizes: 6-11

## SEAMLESS KNITTED GLOVES - GENERAL PROTECTION

501141-50101



Cat. I  
CE

7G, Raw White 100% Cotton, Plain

- Heavy knit Cotton liner
  - Available in different weights
- Sizes: 6-11

501141-50107



Cat. I  
CE

7G, Raw White 100% Cotton, Plain,  
Stitched Cuff

- Heavy knit Cotton liner
  - Stitched cuff helps secure the glove on hands
  - Available in different weights
- Sizes: 6-11

501375-50101



Cat. I  
CE  
EN 388  
1 1 2 X

7G, Raw White Polyester/Cotton, Plain

- General purpose work
  - Available colors with different weights
- Sizes: 6-11

## SEAMLESS KNITTED GLOVES - HEAT AND CUT PROTECTION



Gloves with Kevlar® fiber is ideally suited for cut & heat resistance and Cotton ensures comfort with good heat insulation. Moderate to high level of heat and cut protection.

### APPLICATION:

Suitable for various applications in Metal, Glass, Foundry and Food Industries.

515176-50101



Cat. II  
CE  
EN 388  
1 4 4 X  
EN 407  
4 1 X X X

10G 5 Finger cut, Yellow 100% Kevlar®, Plain

- Kevlar® medium knit liner for heat and cut protection
  - 5 finger cut for specific working and dexterity
- Sizes: 7-10

514176-50801



Cat. II  
CE  
EN 388  
1 4 4 X  
EN 407  
4 1 X X X

10G 2 Finger cut, Yellow 100% Kevlar®, Yellow PVC S80

- Kevlar® medium knit liner for heat and cut protection
  - 2 finger cut for specific working and dexterity
  - PVC dots on palm for better gripping
- Sizes: 7-10

501176-50101



Cat. II  
CE  
EN 388  
1 4 4 X  
EN 407  
4 1 X X X

7G, Yellow 100% Kevlar®, Plain, Glove

- Kevlar® heavy knit liner for heat and cut protection
- Sizes: 7-10

# SEAMLESS KNITTED GLOVES - HEAT AND CUT PROTECTION

**S02176-S0101**



7G Terry, Yellow 100% Kevlar®, Plain

- Kevlar® Terry knit for high heat and cut protection

Size: 7-10

**S01177-S2601**



7G, Yellow/ Raw White Kevlar®, Nomex/ 100% Cotton, Blue Silicone SSD, Glove in Glove

- Kevlar®/Nomex/Cotton blend is good for high heat protection
- Silicone print on palm for gripping hot objects

Size: 8-10

**S01389-S0101**



7G, Multicolor Polyester Cotton/100% Cotton, Plain, Glove in Glove

- Economical for moderate heat protection

Size: 8-10

**S01390-S0101**



7G, Grey/Raw White Polyester Cotton/ 100% Cotton, Plain, Glove in Glove

- Economical for moderate heat protection

Size: 8-10

**S02341-S0101**



7G Terry, Raw White 100% Cotton, Plain

- Heavy Cotton Terry knit provides heat protection with good dexterity

Size: 7-10

**S02378-S0101**



7G Terry, Grey Polyester Cotton, Plain

- Economical medium weight Terry knit provides moderate heat protection

Size: 7-10

**S04239-S0108**



7G Terry Plated, Brown/Raw White 100% Nylon 66/100% Cotton, Plain

- Nylon 66 grade yarn provides high heat and abrasion resistance
- Re-inforced Kevlar® stitching on thumb and forefinger

Size: 7-10

**S04240-S0101**



7G Terry Plated, Navy/Raw White 100% Nylon 66/100% Cotton, Plain

- Nylon 66 grade yarn provides high heat and abrasion resistance

Size: 7-10

**S02302-S0101**



13G, Raw White/Black HPPE/Glass Fibre/Cotton Cut 5, Plain

- Cut level 5 protection

Size: 7-11



Gloves for all general purpose work in cold rooms or cold outdoor conditions for moderate cold protection. Acrylic yarn provides the desired insulation against cold conditions and offers comfort and dexterity.

## APPLICATION:

Suitable for applications in Cold storage and Outdoor.

**S08101-50109**



Cat. I  
CE

7G, 5 Finger cut, Grey 100% Acrylic, Plain, Blind Stitched Cuff

- Heavy weight Acrylic liner for cold weather protection
  - 5 finger cut for good dexterity
- Sizes: 7-10

**S11125-50101**



Cat. I  
CE

10G, Blue Acrylic Lycra, Plain

- Heavy weight Acrylic liner for cold weather protection
- Sizes: One Size

**S11126-50451**



Cat. I  
CE

10G, Orange Acrylic Lycra, Black PVC DSD

- Medium weight Acrylic liner provides warmth in cold weather conditions
  - PVC dots on palm for good gripping
  - High visibility colored liner for poor light conditions
- Sizes: One Size

**S11395-50602**



Cat. I  
CE

10G, Navy Polyester Spun/Acrylic, Navy PVC DSD, Inside Brushed

- Medium weight Polyester spun/Acrylic liner provides warmth in cold weather conditions
  - PVC dots on palm for good gripping
- Sizes: 7-11

**S21339-50101**



Cat. I  
CE

13G, Navy Poly Propylene Thermal/Lycra, Plain

- Light weight PP liner provides good dexterity
  - Suitable for cold weather conditions
- Sizes: 7-11

**S11129-50409**



Cat. I  
CE

10G, Black/Grey Acrylic Lycra, Black PVC DSD, Blind Stitched Cuff

- 3 Finger with special yarn to put conductivity back in every touch
- Sizes: One Size



## LEATHER GLOVES - CUT PROTECTION



Gloves made with high cut resistant yarns and re-inforced with Cow Hide Leather provides superior mechanical protection. Heavy weight Canvas long cuffs is good for wrist protection.

### APPLICATION:

Suitable for various applications in Sheet Metal and Glass Industries.

T11431-79911

T11432-80011

T11432-80111



10G, Raw White/Black HPPE/Nylon/  
Glass/Lycra Cut 5, Natural Cow Split at  
Palm, Knuckle Strap and Cuff, Cotton  
Canvas Cuff, Re-inforced Thumb Patch, 5  
Fingertips and Cuff, 42 cm Glove, 20 cm  
Cuff, Kevlar® Stitched

- Superior cut resistance with re-inforced fingertips provide extra protection
- Size: S-XL



10G, Raw White/Black HPPE/Nylon/  
Glass/Lycra Cut 5, Natural Cow Split at  
Palm, Re-inforced Thumb Patch and 5  
Fingertips, Kevlar® Stitched

- Superior cut resistance with excellent dexterity & fit
  - Re-inforced fingertips provide extra protection
- Size: S-XL



10G, Raw White/Black HPPE/Nylon/  
Glass/Lycra Cut 5, Natural Cow Split at  
Palm, Re-inforced Thumb Patch, Kevlar®  
Stitched

- Superior cut resistance with excellent dexterity & fit
- Size: S-XL

## LEATHER GLOVES - DRIVERS



Gloves made with combination of Cow Grain & Split Leather provides superior abrasion and tear resistance. Variety of gloves with different thumb patterns, re-inforced forefinger and thumb provides comfort and additional protection

### APPLICATION:

Fork Lift Drivers, Truck Drivers, Construction, Operations, Farm Equipment and many other general applications

# LEATHER GLOVES - DRIVERS

**L80425-79201**



Drivers, Natural Cow Grain Palm and Thumb, Red Jersey Back, Wing Thumb, Elasticated Band at Cuff with Velcro

- Adjustable Velcro wrist
  - Superior dexterity with excellent softness
- Size: S-XL

**L80426-79602**



Drivers, Natural Goat Skin Palm and Thumb, Raw White Cotton Jersey Back, Keystone Thumb, Slip on, Inside Brushed

- Sheer Elastic and Keystone thumb for added good comfort
  - Excellent fit and dexterity
- Size: S-XL

**L80401-78301**



Drivers, Natural Cow Grain Palm and Back, Re-inforced forefinger, Wing Thumb

- Excellent comfort with good abrasion resistance
  - Re-inforced thumb for added protection
- Size: S-XL

**L80401-77501**



Drivers, Natural Cow Grain Palm and Back, Wing Thumb

- Provides good dexterity and comfort
- Size: S-XL

**L80404-78301**



Drivers, Natural Cow Grain Palm, Forefinger and Back of Thumb, Natural Cow Split Back, Re-inforced Forefinger, Wing Thumb

- Re-inforced Cow Grain full thumb for added protection
- Size: S-XL

**L80424-77501**



Drivers, Natural Cow Grain Palm, Natural Cow Split Back, Wing Thumb

- Excellent fit and economical
- Size: S-XL

**L80406-78301**



Drivers, Natural Cow Grain Palm and Forefinger, Natural Cow Split Back, Re-inforced Forefinger, Wing Thumb

- Higher abrasion resistance
- Size: S-XL

**L80413-77501**



Drivers, Natural Cow Split Palm and Back, Wing Thumb

- Economical for light duty work
- Size: S-XL

**L80433-75501**



Drivers, Yellow Cow Grain Palm and Back, Brown Fleece lined, Wing Thumb

- Higher abrasion resistance
- Size: S-XL



Gloves designed for heat, mechanical and cut protection, suitable for heavy duty operations. Specialty selected Leather with lining makes them more durable and heat resistant for welding operations.

## APPLICATION:

Welding, Construction, Foundry, Metal Handling, General Heavy Duty operations.

**L88420-78201**



Welders 40 cm, Navy Cow Split Palm, One Piece Back and Cuff, Palm and Cuff Felt Lined, All Over Weting, Wing Thumb, 20 cm Cuff

- Fully lined heat resistance, re-inforced
- Wetted seams
- Size: S-XL

**L85421-78001**



Welders 34 cm, Red Cow Split Palm, Back and Cuff, Palm Felt Lined, Cuff Twill Lined, All Over Weting, Wing Thumb, 12 cm Cuff

- Fully lined heat resistance, re-inforced
- Wetted seams
- Size: S-XL

**L86427-79401**



Welders 35 cm, Natural Cow Split Palm, One Piece Back & Cuff, Palm Felt Lined, Cuff Canvas Lined, All Over Weting, Wing Thumb, 15 cm Cuff

- Fully lined heat resistance, re-inforced
- Wetted seams
- Size: S-XL

**L86414-78501**



Welders 35 cm, Natural Cow Split Palm, Back and Cuff, Re-inforced Forefinger, Thumb and Cuff, Wing Thumb, 15 cm Cuff

- Heat resistance, re-inforced forefinger and thumb
- Size: S-XL

**L86414-78801**



Welders 35 cm, Natural Cow Split Palm, Back and Cuff, Re-inforced Palm, Forefinger and Thumb, Wing Thumb, 15 cm Cuff

- Heat resistance, double stitched re-inforced palm
- Size: S-XL

**L88406-79301**



Welders 40 cm, Natural Cow Grain Palm and Forefinger, Natural Cow Split Back and Cuff, Re-inforced Forefinger Thumb and Cuff, Wing Thumb, 20 cm Cuff

- Heat resistance Cow Grain palm, re-inforced forefinger and thumb
- Size: S-XL

## LEATHER GLOVES - WELDERS

L86428-79401



Welders 35 cm, Natural Cow Grain Palm, Natural Cow Split One Piece Back & Cuff, Palm Felt Lined, Cuff Canvas Lined, All Over Welding, Wing Thumb, 15 cm Cuff

- Fully lined heat resistance, with excellent dexterity
- Sizes: S-XL

L83415-77701



Welders 28 cm, Natural Cow Split Palm and Back, Yellow Cow Split Cuff, Re-inforced Palm, Wing Thumb, 5 cm Cuff

- Economical due to standard split leather
  - Double palm for added protection
- Sizes: S-XL

L83402-77801



Welders 28 cm, Natural Cow Grain Palm and Back, Natural Cow Split Cuff, Re-inforced Forefinger and Thumb, Wing Thumb, 8 cm Cuff

- Excellent heat and abrasion resistance
- Sizes: S-XL

L83456-77801



Welders 28 cm, Natural Cow Grain Palm and Forefinger, Natural Cow Split Back and Cuff, Re-inforced Forefinger and Thumb, Wing Thumb, 8 cm Cuff

- Re-inforced forefinger thumb and cuff, heat resistance cow grain palm
- Sizes: S-XL

L83414-79501



Welders 28 cm, Natural Cow Split Palm, Back and Cuff, Re-inforced Forefinger, Thumb and Cuff, Wing Thumb, 8 cm Cuff

- Re-inforced forefinger, thumb and cuff, heat resistance cow grain palm
- Sizes: S-XL

## LEATHER GLOVES - CANADIAN



Gloves suitable for heat, abrasion and tear and for dry / wet grip conditions. Rubberized cuff for wrist protection and Fleece lined palm for added comfort.

### APPLICATION:

Steel Mills, Construction, Mining and Agriculture.

L81417-79101



Canadian, Natural Cow Split Palm, Raw White Cotton Canvas Back and Cuff, Inside Lined Palm, Red Split Leather Re-inforced Palm, Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Double stitched re-inforced palm for heavy duty applications  
Size: S-XL

L81417-79001



Canadian, Natural Cow Split Palm, Raw White Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Palm, Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Heat resistant, double stitched re-inforced palm, forefinger and thumb suitable for heavy duty applications  
Size: S-XL

L81411-78601



Canadian, Natural Cow Grain Palm, Yellow Stripe Fabric Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Excellent for wet grip applications  
Size: S-XL

L81429-79701



Canadian, Natural Cow Grain Palm, Blue Stripe Fabric Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Padded Safety Cuff

- Excellent for wet grip applications  
Size: S-XL

L81409-78601



Canadian, Natural Cow Grain Palm, Navy Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Excellent for wet grip applications  
Size: S-XL

L81410-78601



Canadian, Natural Cow Grain Palm, Yellow Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Excellent for wet grip applications  
Size: S-XL

L81430-79801



Canadian, Natural Cow Grain Palm, Blue Denim Fabric Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Safety Cuff

- Excellent for wet grip applications  
Size: S-XL

L81418-78601



Canadian, Natural Cow Split Palm, Red Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Heat resistance and suitable for dry grip applications  
Size: S-XL

L81419-78601



Canadian, Natural Cow Split Palm, Yellow Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Rubberized Safety Cuff

- Heat resistance and suitable for dry grip applications  
Size: S-XL

## LEATHER GLOVES - CANADIAN

L81407-78701



Canadian, Natural Cow Grain Palm and Forefinger, Natural Cow Split Back & Back of Thumb, Raw White Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Safety Cuff

- Excellent for wet grip applications  
Size: S-XL

L81417-78701



Canadian, Natural Cow Split Palm, Raw White Cotton Canvas Back and Cuff, Inside Lined Palm, Re-inforced Forefinger and Thumb, Wing Thumb, Safety Cuff

- Economical for light duty applications  
Size: S-XL

## MECHANICAL GLOVES



Gloves ideal for impact resistance with a combination of other mechanical risk. High visibility reflective materials, re-inforced palms and padding for comfort and stitched Thermo Plastic Rubber (TPR) at critical points for impact protection.

### APPLICATION:

Automotive, Hardware, Construction, suitable for all kinds of outdoor work.

D21265-99901



13G, Fluorescent Yellow 100% Polyester, Black Nitrile Palm Dipped, Sandy Finished, TPR Stitched at Back and Fingers, Re-inforced Palm and Thumb Crotch

- Excellent grip and impact protection while handling oily tools  
Size: 7-11

D21265-99912



13G, Fluorescent Yellow 100% Polyester, Black Nitrile Palm Dipped, Sandy Finished, TPR Stitched, Re-inforced, Velcro Strap at Wrist

- Excellent grip and impact protection while handling oily tools
- Velcro fastened strap for secured fit  
Size: 7-11

C74266-80213



Fluorescent Orange 100% Polyester, Drop Needle, Double Stitched Re-inforced Palm, Thumb Crotch and Fingers, Elasticated Wristband with Velcro

- Excellent grip and impact protection while handling oily tools
- Re-inforcement for high mechanical risk  
Size: 7-11



 **SIERRA EXPORTS**  
Making it happen