

CE

 **SIERRA EXPORTS**
Making it happen



Quality
INDUSTRIAL GLOVES

THERMO BLADE™

Adding extra to the ordinary with Thermo Blade Gloves

Siera Exports introduces a new range of **Thermo Blade** Aramid gloves for high cut and moderate heat resistance made with our special Aramid engineered yarn that do not contain any glass and steel fibres unlike the traditional yarns. And offering risk protection as required for Cut, Heat and Flame resistance.

We have developed new products with higher performance using fine knit lighter liners, CUT 5 and higher mechanical protection. Superior in protection and comfort, **Thermo Blade** gloves incorporate new improved dipping technology with Nitrile super thin foam and sandy finish enhancing the performance.

Besides EN 388 and other certifications, our products have a competitive price edge over other brands.

Welcome to a new experience, welcome to **Thermo Blade**...

INDEX

Glove Categories	Page #
Heat & Cut Protection	4 / 5 / 6
Leather Cut Protection	6 / 7
Dipped Cut Protection	8 / 9 / 10
Oil & Liquid Protection	11 / 12 / 13
New Upcoming Range	13 / 14



Our Aramid Engineered yarns are high Cut level 5 and ANSI Cut 3 standard. The yarn is in a unique anodized metal color, which helps in reducing replacement costs and gives our gloves an extended life. New technology by Thermo Blade comprises of extraordinary yarns that are heat resistant and without any Glass or Steel Fibres. The liner provides very good dexterity and comfort for a longer duration.

APPLICATION: Suitable for Metal and Glass Industries, handling of waste and recycling.

D21156-64114



Cat. II



EN 388



3532

13G, Aramid / Polyester Cut 5, Light Green Foam Nitrile Breathable Open Back, Dark Green Nitrile Palm Dipped Sandy Finish, Double Dipped, Long Cuff, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Double Nitrile coating for liquid protection and a better grip
- Outer coating provides excellent grip in oily and wet conditions, and inner back covered Foam Nitrile prevents oil and liquid penetration

Sizes: 7-11

D21156-63814



Cat. II



EN 388



3532

13G, Aramid / Polyester Cut 5, Blue Nitrile Open Back Smooth Finish, Black Nitrile Palm Dipped Sandy Finish, Double Dipped, Long Cuff, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Double Nitrile coating for liquid protection and a better grip
- Outer coating provides excellent grip in oily and wet conditions, and inner back covered smooth Nitrile prevents oil and liquid penetration

Sizes: 7-11

D21116-64014



Cat. II



EN 388



3332

13G, Aramid / Polyester Cut 5, Light Green Nitrile Full Finger Dipped Smooth Finish, Dark Green Nitrile Palm Dipped Sandy Finish, Double Dipped, Long Cuff, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Double Nitrile coating for liquid protection and a better grip
- Outer coating provides excellent grip in oily and wet conditions, and inner full finger coating protects from oil and liquids

Sizes: 7-11

D21116-60710



Cat. II



EN 388



3332

13G, Aramid / Polyester Cut # 5, Black Nitrile Palm Dipped Sandy Finish, Long Cuff, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Provides longer durability and comfort
- Good grip with excellent dexterity

Sizes: 7-11

D21116-66010



Cat. II



EN 388



3332

13G, Aramid / Polyester Cut 5, Green Foam Nitrile Breathable Palm Dipped, Long Cuff, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Foam Nitrile coating provides excellent grip while handling oily tools and components

Sizes: 7-11

HEAT & CUT PROTECTION

D11114-55810



10G, Aramid / Polyester Cut 5, Blue Latex Palm Dipped Wrinkle Finish, Long Cuff, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Superior grip in wet and dry conditions with abrasion resistance

Sizes: 7-11

LEATHER CUT PROTECTION



Thermo Blade liners knitted with 100% Aramid engineered yarns, provides high Cut Level 5 and ANSI Cut 3 standard along with heat and flame resistance. The Leather palm provides protection against sharp metal objects.

APPLICATION: Glass and sheet metal work, body assembly

T13444-80111



10G Plated, 100% Aramid Cut 5/ Cotton Polyester, Natural Cow Split at Palm, Re-inforced Thumb Crotch, Kevlar® Stitched, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Split Leather palm provides excellent protection from sharp edges

Sizes: 7-11



T13444-80511



Cat. II



EN 388



3542

10G Plated, 100% Aramid Cut 5 / Cotton Polyester, Natural Cow Split at Palm, Re-inforced Thumb Crotch, Forschette, Kevlar® Stitched, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Re-inforced Forschette stitch provides protection on finger sides

Sizes: 7-11

T13444-80411



Cat. II



EN 388



3542

10G Plated, 100% Aramid Cut 5 / Cotton Polyester, Natural Cow Split at Palm, Re-inforced Thumb Crotch, 5 Fingertips, Cross Stitch on Palm, Kevlar® Stitched, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Split Leather palm provides excellent protection from sharp edges
- Cross stitched palm and re-inforced finger tips provide extra protection

Sizes: 7-11

T13444-80011



Cat. II



EN 388



3542

10G Plated, 100% Aramid Cut 5 / Cotton Polyester, Natural Cow Split at Palm, Re-inforced Thumb Crotch & 5 Fingertips, Kevlar® Stitched, Glove

- EN388, Cut 5 and ANSI Cut 3 standard with moderate heat resistance
- Split Leather palm provides excellent protection from sharp edges
- Double stitched Leather palm and re-inforced finger tips provide extra protection

Sizes: 7-11



Fine knit super thin Cut 5 liner for high sensitivity while assembling and handling small components. New improved super thin Foam Nitrile and Sandy Nitrile finish for high abrasion resistance with added comfort and dexterity.

APPLICATION: Suitable for automotive and assembly

D43304-64206



18G, Raw White / Black HPPE / Nylon / Glass / Lycra Cut 5, Blue Nitrile Finger Cut Dipping Smooth Finish, Black Nitrile Palm Dipped Sandy Finish, Double Dipped, Glove

- Super thin Cut 5 liner
- Double Nitrile coating for liquid protection and good grip
- Outer full finger thin Sandy Nitrile coating provides high abrasion resistance and inner full finger Smooth Nitrile coating protects against oil and liquids

Sizes: 7-11

D43311-65701



18G, White HPPE / Nylon/ Glass/ Lycra Cut 5, Blue Foam Nitrile Breathable Palm Dipped, Glove

- Super thin liner with Cut 5 protection
- Super thin Foam Nitrile coating for high abrasion resistance and provides excellent fit and good grip while handling oily parts

Sizes: 7-11

D43304-65901



Cat. II



EN 388



4342

18G, Raw White / Black HPPE / Nylon / Glass / Lycra Cut 5, Orange Foam Nitrile Palm Dipped, Glove

- Super thin liner with Cut 5 protection
- Foam Nitrile coating for excellent grip for handling oily tools and components

Sizes: 7-11

D43323-60701



Cat. II



EN 388



4342

18G, Dark Green / White HPPE / Nylon / Lycra Cut 3, Black Nitrile Palm Dipped, Sandy Finish, Glove

- Super thin liner with Cut 3 protection
- Excellent for handling oily tools and components
- Super thin Sandy Nitrile provides good grip

Sizes: 7-11

D21310-65501



Cat. II



EN 388



4343

13G, Black HPPE / Nylon/Glass / Lycra Cut 5, Black Foam Nitrile Palm Dipped, Glove

- Cut level 5 protection
- Black HPPE provides extended life and reduces cost
- Foam Nitrile breathable coating provides a better grip while handling sharp oily components

Sizes: 7-11

DIPPED CUT PROTECTION

D21310-60701



13G, Black HPPE / Nylon / Glass / Lycra
Cut 5, Black Nitrile, Palm Dipped, Sandy
Finish, Glove

- Cut level 5 protection
- Black HPPE provides extended life and reduces cost
- Super thin Sandy Nitrile coating for high abrasion resistance and provides excellent grip for handling oily components

Sizes: 7-11

D34324-69101



15G, Yellow HPPE / Nylon / Lycra / Cut 3,
Black PU Palm Dipped, Glove

- Hi-visibility yellow HPPE liner
- Excellent sensitivity and dexterity to handle small parts in dry and wet conditions

Sizes: 7-11

D21304-63706



13G, Raw White HPPE / Nylon / Glass /
Lycra Cut 5, Grey Nitrile Open Back Smooth
Finish, Black Nitrile Palm Dipped Sandy
Finish, Double Dipped, Glove

- Double Nitrile coating for liquid protection and good grip
- Outer coating provides excellent grip in oily and wet conditions, and inner back covered with Smooth Nitrile prevents oil and liquid penetration

Sizes: 7-11



Fine knit Nylon liners with double coating for excellent grip in wet and oily applications. A combination of Foam Nitrile with sandy finish helps in liquid protection. Fully dipped Nitrile is suitable for light chemical protection.

APPLICATION: Ideal for Painting, Light Chemicals and Oil Industries.

D34228-64306



Cat. II



EN 388



4232

15G, Red Nylon / Lycra Liner, Red Nitrile Fully Dipped Smooth Finish, Black Nitrile Palm Dipped Sandy Finish, Double Dipped, Glove

- Double Nitrile coating for protection against oil, grease and abrasion
- Outer palm dipped thin Sandy Nitrile coating provides high abrasion resistance and inner fully dipped Smooth Nitrile coating protects against oil and liquids

Sizes: 7-11

D34223-63706



Cat. II



EN 388



4232

15G, Orange Nylon / Lycra Liner, Orange Nitrile Fully Dipped, Smooth Finish, Black Nitrile Open Back Sandy Finish, Double Dipped, Glove

- Double Nitrile coating for protection against oil, grease and abrasion
- Outer open back thin Sandy Nitrile coating provides high abrasion resistance and inner fully dipped smooth Nitrile coating protects against oil and liquids

Sizes: 7-11

D34224-64506



Cat. II



EN 388



4232

15G, Grey Nylon / Lycra liner, Blue Nitrile Fully Dipped Smooth Finish, Black Nitrile Fully Dipped Sandy Finish, Double Dipped, Glove

- Double Nitrile coating for protection against oil, grease and abrasion
- Outer fully dipped thin Sandy Nitrile coating provides high abrasion resistance and inner fully dipped Smooth Nitrile coating protects against oil and liquids

Sizes: 7-11

D43192-65701



Cat. II



EN 388



3111

18G, Blue 100% Nylon, Blue Foam Nitrile Breathable Palm Dipped, Glove

- Super thin Nylon liner for excellent sensitivity and dexterity
- Good grip in assembly of small components

Sizes: 7-11

D34223-60006



Cat. II



EN 388



4232

15G, Orange Nylon / Lycra, Grey Latex Smooth Finish Full Finger Dipped, Navy Latex Palm Dipped Sandy Finish, Double Dipped, Glove

- Superior grip with high Abrasion Resistance
- Suitable for assembly in wet and dry conditions

Sizes: 7-11

D21196-65521



13G, Orange 100% Nylon liner, Black Foam Nitrile Breathable Palm Dipped, Slotted Fingers, Glove

- Entanglement protection for working with rotating tool equipment
- Excellent fit for gripping tools

Sizes: 7-11

NEW UPCOMING RANGE



New gloves to be launched in the coming year offering chemical protection and high abrasion resistance. The development of improved Nitrile coatings and seamless long liners safeguards working hands in a challenging working atmosphere.

APPLICATION: Ideal for Chemical and Oil industries.

D34224-65501



15G, Grey Nylon / Lycra, Black Foam Nitrile Breathable, Palm Dipped, Glove

- Special Nylon knit liner for excellent fit and dexterity
- Improved dipping technology for super thin sandy Nitrile coating
- Excellent mechanical performance in all kinds of general purposes

Sizes: 7-11

Certifications awaited

D21320-64320



Certifications awaited

13G, Raw White / Black HPPE / Nylon / Lycra Cut 3, Purple Smooth Finish Nitrile Fully Dipped, Black Nitrile Palm Fully Dipped Sandy Finish, Double Dipped, Gauntlet

- Cut 3 protection
- Double Nitrile coating for protection against oil, grease and chemicals

Sizes: 8-11

D34183-68619



Certifications awaited

15G, Raw White 100% Nylon, Yellow Foam Nitrile Fully Dipped, Gauntlet

- Fine knitted Nylon seamless liner
- Full Foam Nitrile coated for protection over entire hand

Sizes: 8-11

D34183-68618



Certifications awaited

15G, Raw White 100% Nylon, Yellow Foam Nitrile Fully Dipped, Velcro at Cuff, Gauntlet

- Fine knitted Nylon seamless liner
- Full Foam Nitrile coated for protection over entire hand
- Velcro strap at wrist for better grip suitable for grease and oil protection

Sizes: 8-11



THERMO BLADE™

INTRODUCING REVOLUTIONARY GLOVES
WITH CUT 5 AND HEAT RESISTANCE,
MADE WITH SPECIAL ARAMID
ENGINEERED YARNS



Contact Details:
G-2 Ivy Centre, Patel Estate Road,
Jogeshwari (West), Mumbai 400102, India.

Telephone : +91-22-2677 5027
Fax : +91-22-2679 0607
Web : www.sierraexports.co.in
Email : uc@sierraexports.co.in

For general inquiries and information contact: Umesh Chaudhary